AMENDMENT TO THE CLAIMS

- 1 115. Canceled.
- 116. (Currently Amended) A method comprising:
- receiving input data at least one SQL statement, [[in]] at a computer system, wherein
 - the at least one SQL statement is configured to operate on a first table and a second table, and
 - the at least one SQL statement comprises an SQL statement that is configured to join the first table and the second table;

the input data comprises a query, a first table, and a second table;

automatically generating, using a processor of the computer system, a set of SQL

statements to query the first table and the second table, wherein

the set of SQL statements are based, at least in part, upon the **query** at least one SQL statement,

- the first table and the second table are stored in a computer-readable storage medium of the computer system,
- the <u>automatically</u> generating uses a relationship between the first table and the second table to <u>construct generate</u> the set of SQL statements, and
- the set of SQL statements comprises SQL statements other than [[a]] the at least one SQL statement that joins the first and second tables;
- producing a first result set by querying the first table using the set of SQL

statements to produce a first result set, wherein

the querying the first table is performed using the processor;

producing a second result set by querying the second table using the set of SQL statements to produce a second result set, wherein

the querying the second table is performed using the processor, and

the querying the first table and the querying the second table are performed without joining the first table and the second table;

- 2 - Application No.: 10/750,703

- joining, using the processor, the first result set and the second result set to produce a third result set; and
- returning the third result set, in response to the receiving the **input data** at least one SOL statement.
- 117. (Previously Presented) The method of claim 116 wherein the relationship comprises:
- a parent/child relationship between the first and second tables, wherein one of the first and second tables is a parent table, and if the first table is the parent table, the second table is a child table, and if the second table is the parent table, the first table is the child table.
- 118. (Previously Presented) The method of claim 117 further comprising: querying the parent table using the set of SQL statements to produce the first result set; and
- using the first result set in constructing a second set of SQL statements to query the child table, wherein
 - the second set of SQL statements comprises SQL statements other than a second statement that joins the second table to another table.
- 119. (Previously Presented) The method of claim 118 further comprising: querying the child table using the second set of SQL statements to produce the second result set.
- 120. (Previously Presented) The method of claim 119 wherein the third result set depends on the querying the first table and the querying the second table.
- 121. (Previously Presented) The method of claim 118 wherein the second set of SQL statements comprises:
 - a query statement for selecting a record having a value of a foreign key field of the second table equal to a value of a target key field in the first result set.

- 122. (Previously Presented) The method of claim 116 further comprising: using the first result set in constructing a second set of SQL statements to query the second table, wherein the second set of SQL statements comprises SQL statements other than a second statement that joins the second table to another table.
- 123. (Previously Presented) The method of claim 122 further comprising: querying the second table using the second set of SQL statements to produce the second result set.
- 124. (Previously Presented) The method of claim 123 further comprising: returning the third result set as a result of the query of the first and second tables.
- 125. (Previously Presented) The method of claim 122 wherein the second set of SQL statements comprises:
 a query statement for selecting a record having a value of a foreign key field of the second table equal to a value of a target key field in the first result set.
- 126. (Previously Presented) The method of claim 116 further comprising: obtaining a search specification for the query of the first and second tables, wherein the set of SQL statements comprises a query statement to select a record from at least one of the first and second tables if the record satisfies the search specification.
- 127. (Previously Presented) The method of claim 126 further comprising: executing the set of SQL statements to produce the third result set; and returning the third result set in response to the search specification.

128. (Currently Amended) A system comprising:

a processor;

a memory unit coupled to the processor;

receiving means for receiving input data at least one SQL statement, wherein

the at least one SQL statement is configured to operate on a first table and a second table, and

the at least one SQL statement comprises an SQL statement that is configured to join the first table and the second table;

the input data comprises a query, a first table, and a second table;

generating means for automatically generating a set of SQL statements to query the first table and the second table, wherein

the set of SQL statements are based, at least in part, upon the query at least one SQL statement,

the generating means uses a relationship between the first table and the second table to **construct generate** the set of SQL statements, and the set of SQL statements comprise SQL statements other than [[a]] the at **least one SQL** statement that joins the first and second tables;

- determining means for determining if a parent/child relationship exists between the first and second tables:
- first querying producing means for producing a first result set by querying the first table using the set of SQL statements to produce a first result set;
- second querying producing means for producing a second result set by querying the second table using the set of SQL statements to produce a second result set, wherein

the querying the first table and the querying the second table are performed without joining the first table and the second table;

- joining means for joining the first result set and the second result set to produce a third result set, wherein
 - the generating means, the determining means, the first querying means, the second querying means and the joining means reside in the memory unit; and

returning means for returning the third result set, in response to receiving the **input**data at least one SQL statement.

129. (Previously Presented) The system of claim 128 further comprising:

parent table determining means for determining if one of the first and second tables

is a table, if the parent/child relationship exists, and configured to indicate

if the first table is the parent table, that the second table is a child table, and

if the second table is the parent table, that the first table is the child table,

wherein

the parent table resides in the memory unit.

- 130. (Previously Presented) The system of claim 129 further comprising:

 querying means for querying the parent table using the set of SQL statements to

 produce the first result set; and

 using means for using the first result set in constructing a second set of SQL

 statements to query the child table, wherein

 the second set of SQL statements comprises SQL statements other than a

 second statement that joins the second table to another table, and
 the querying means and the using means reside in the memory unit.
- 131. (Previously Presented) The system of claim 130 wherein the second querying means is configured to query the child table using the second set of SQL statements to produce the second result set.
- 132. (Previously Presented) The system of claim 131 wherein the result depends on the querying the first table and the querying the second table.
- 133. (Previously Presented) The system of claim 130 wherein the second set of SQL statements comprises:
 - a query statement for selecting a record having a value of a foreign key field of the second table equal to a value of a target key field in the first result set.

- 134. (Previously Presented) The system of claim 128 further comprising: using means for using the first result set in constructing a second set of SQL statements to query the second table, wherein the second set of SQL statements comprises SQL statements other than a second statement that joins the second table to another table, and said using means resides in the memory unit.
- 135. (Previously Presented) The system of claim 128 further comprising:
 obtaining means for obtaining a search specification for the query of the first and
 second tables, wherein
 the set of SQL statements comprises a query statement to select a record
 from at least one of the first and second tables if the record satisfies
 the search specification, and
 said obtaining means resides in the memory unit.
- 136. (Previously Presented) The system of claim 135 further comprising: executing means for executing the set of SQL statements to produce the third result set; and returning means for returning the third result set in response to the search specification, wherein

said the executing means and the returning means reside in the memory unit.

137. (Currently Amended) A computer program product comprising:

receiving instructions to receive input data at least one SQL statement, wherein

the at least one SQL statement is configured to operate on a first table

and a second table, and

the at least one SQL statement comprises an SQL statement that is

configured to join the first table and the second table;

the input data comprises a query, a first table, and a second table;

generating instructions to automatically generate a set of SQL statements to query

the first table and the second table, wherein

- the set of SQL statements are based, at least in part, upon the query at least one SQL statement,
- the generating instructions are configured to use a relationship between the first table and the second table, and
- the set of SQL statements comprises SQL statements other than [[a]] the at least one SQL statement that joins the first and second tables;
 [[and]]
- first querying producing instructions to query produce a first result set by

 querying the first table using the set of SQL statements to produce a first

 result set;
- second querying producing instructions to query produce a second result set by querying the second table using the set of SQL statements to produce a second result set, wherein
 - the querying instructions to the first table and the querying instructions to

 the second table are performed without joining the first table and the second table;
- joining instructions to join the first result set and the second result set to produce a third result set;
- returning instructions to return the third result set, in response to receiving the **input**data at least one SQL statement; and
- a computer-readable storage medium, wherein
 - the computer program product is encoded in the **computer readable computer-readable** storage media.
- 138. (**Currently Amended**) The computer program product of claim 137 wherein the relationship comprises:
- a parent/child relationship between the first and second tables, wherein one of the first and second tables is a parent table, [[and]] if the first table is the parent table, the second table is a child table, and if the second table is the parent table, the first table is the child table.

- 8 - Application No.: 10/750,703

- 139. (Previously Presented) The computer program product of claim 138 further comprising:
- querying instructions configured to query the parent table using the set of SQL statements to produce the first result set; and
- using instructions configured to use the first result set in constructing a second set of SQL statements to query the child table, wherein the second set of SQL statements comprises SQL statements other than a second statement that joins the second table to another table.
- 140. (**Currently Amended**) The computer program product of claim 139 wherein
- the second querying the second table instructions are configured to query

 queries the child table using the second set of SQL statements to produce the second result set.
- 141. (Previously Presented) The computer program product of claim 140 wherein
- the third result set depends on the querying the first table and the querying the second table.

142. (Previously Presented) The computer program product of claim 139 wherein

the second set of SQL statements comprises:

- a query statement for selecting a record having a value of a foreign key field of the second table equal to a value of a target key field in the first result set.
- 143. (Previously Presented) The computer program product of claim 137 further comprising:
- using instructions configured to use the first result set to construct a second set of SQL statements to query the second table, wherein
 - the second set of SQL statements comprises SQL statements other than a second statement that joins the second table to another table.
- 144. (Previously Presented) The computer program product of claim 137 further comprising:
- obtaining instructions configured to obtain a search specification for the query of the first and second tables, wherein
 - the set of SQL statements comprises a query statement to select a record from at least one of the first and second tables if the record satisfies the search specification.
- 145. (Previously Presented) The computer program product of claim 144 further comprising:
- executing instructions configured to execute the set of SQL statements to produce the third result set; and
- returning instructions configured to return the third result set in response to the search specification.

146. (Currently Amended) A computer system comprising:

a processor to execute instructions; and

a memory to store the instructions, wherein

the memory is coupled to the processor, and

the instructions comprise:

receiving instructions configured to receive input data at least one

SQL statement, [[in]] at a computer system, wherein

the at least one SQL statement is configured to operate on a first table and a second table, and

the at least one SQL statement comprises an SQL statement that is configured to join the first table and the second table;

the input data comprises a query, a first table, and a second table;

generating instructions configured to <u>automatically</u> generate a set of SQL statements to query the first table and the second table, wherein

the set of SQL statements are based, at least in part, upon the query at least one SQL statement,

the generating instructions use a relationship between [[a]]

the first table and [[a]] the second table to construct
generate the set of SQL statements, and

the set of SQL statements comprises SQL statements other than [[a]] the at least one SQL statement that joins the first and second tables.

first querying producing instructions to query produce a first
result set by querying the first table using the set of SQL
statements to produce a first result set;

second querying producing instructions to query produce a

second result set by querying the second table using the set
of SQL statements to produce a second result set, wherein

the querying instructions to the first table and the querying instructions to the second table are performed without joining the first table and the second table; joining instructions to join the first result set and the second result set to produce a third result set; and returning instructions to return the third result set, in response to receiving the **input data** at least one SQL statement.

- 147. (**Currently Amended**) The computer system of claim 146 wherein the relationship comprises:
- a parent/child relationship between the first and second tables, wherein one of the first and second tables is a parent table, [[and]] if the first table is the parent table, the second table is a child table, and if the second table is the parent table, the first table is the child table.
- 148. (Previously Presented) The computer system of claim 147 wherein the instructions further comprise:
- querying instructions configured to query the parent table using the set of SQL statements to produce the first result set; and
- using instructions configured to use the first result set in constructing a second set of SQL statements to query the child table, wherein
 - the second set of SQL statements comprises SQL statements other than a second statement that joins the second table to another table.
- 149. (Currently Amended) The computer system of claim 148 wherein the second querying the second table instructions are configured to query queries the child table using the second set of SQL statements to produce the second result set.

- 12 -

- 150. (Previously Presented) The computer system of claim 149 wherein the third result set depends on the querying the first table and the querying the second table.
- 151. (Previously Presented) The computer system of claim 148 wherein the second set of SQL statements comprises:
 - a query statement for selecting a record having a value of a foreign key field of the second table equal to a value of a target key field in the first result set.
- 152. (Previously Presented) The computer system of claim 146 wherein the instructions further comprise:
 - using instructions configured to use the first result set to construct a second set of SQL statements to query the second table, wherein the second set of SQL statements comprises SQL statements other than a second statement that joins the second table to another table.
- 153. (**Currently Amended**) The computer system of claim 146 wherein the instructions further comprise:
 - obtaining instructions configured to obtain a search specification for the **query querying** of the first and second tables, wherein the set of SQL statements comprises a query statement to select a record from at least one of the first and second tables if the record satisfies the search specification.
- 154. (Previously Presented) The computer system of claim 154 wherein the instructions further comprise:
 - executing instructions configured to execute the set of SQL statements to produce the third result set; and
 - returning instructions configured to return the third result set in response to the search specification.

- 155. (Currently Amended) A computer system comprising:
- a processor;
- a memory unit coupled to the processor;
- a receiving module configured to receive **input data** at least one SQL statement, wherein
 - the at least one SQL statement is configured to operate on a first table and a second table, and
 - the at least one SQL statement comprises an SQL statement that is configured to join the first table and the second table;
 - the input data comprises a query, a first table, and a second table;
- a generating module configured to <u>automatically</u> generate a set of SQL statements to query the first table and the second table, wherein
 - the set of SQL statements are based, at least in part, upon the query at least one SQL statement,
 - the generating module uses a relationship between [[a]] **the** first table and [[a]] **the** second table, and
 - the set of SQL statements comprises SQL statements other than [[a]] the at least one SQL statement that joins the first and second tables;
- a first querying producing module configured to query produce a first result set

 by querying the first table using the set of SQL statements to produce a

 first result set;
- a second querying producing module configured to query produce a second

 result set by querying the second table using the set of SQL statements to

 produce a second result set, wherein
 - the **query querying** of the first table and the **query querying** of the second table are performed without joining the first table and the second table;
- a joining module configured to join the first result set and the second result set to produce a third result set, wherein
 - the generating module, the determining module, the first querying

 producing module, the second querying producing module and the

joining means module reside in the memory unit; and a return output data module configured to return the third result set, in response to receiving the input data at least one SQL statement.

- 156. (**Currently Amended**) The computer system of claim 155 wherein the relationship comprises:
- a parent/child relationship between the first and second tables, wherein one of the first and second tables is a parent table, [[and]] if the first table is the parent table, the second table is a child table, [[and]] if the second table is the parent table, the first table is the child table, and the parent table resides in the memory unit.
- 157. (Previously Presented) The computer system of claim 156 further comprising:
- a querying module configured to query the parent table using the set of SQL statements to produce the first result set; and
- a using module configured to use the first result set in constructing a second set of SQL statements to query the child table, wherein
 - the second set of SQL statements comprises SQL statements other than a second statement that joins the second table to another table, and the querying module and the using module reside in the memory unit.
- 158. (**Currently Amended**) The computer system of claim 157 wherein the **second** querying **module configured to query the second table queries** the child table using the second set of SQL statements to produce the second result set.
- 159. (Previously Presented) The computer system of claim 158 wherein the third result set depends on the querying the first table and the querying the second table.

- 160. (Previously Presented) The computer system of claim 157 wherein the second set of SQL statements comprises:
 - a query statement for selecting a record having a value of a foreign key field of the second table equal to a value of a target key field in the first result set.
- 161. (Previously Presented) The computer system of claim 155 further comprising:
- a using module configured to use the first result set to construct a second set of SQL statements to query the second table, wherein
 - the second set of SQL statements comprises SQL statements other than a second statement that joins the second table to another table, and said using module resides in the memory unit.
- 162. (Previously Presented) The computer system of claim 155 further comprising:
- an obtaining module configured to obtain a search specification for the query of the first and second tables, wherein
 - the set of SQL statements comprises a query statement to select a record from at least one of the first and second tables if the record satisfies the search specification, and
 - said obtaining module resides in the memory unit.
- 163. (Previously Presented) The computer system of claim 162 further comprising:
- an executing module configured to execute the set of SQL statements to produce the third result set; and
- a returning module configured to return the third result set in response to the search specification, wherein
 - said the executing module and the returning module reside in the memory unit.